Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13682	count\$3 near4 instruction	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 10:56
S2	80099	execut\$3 near3 (time or "clock cyles")	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 10:57
S3	447	S1 with S2	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 10:58
S4	41	S3 and "performance monitor"	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 11:07
S5	549	(slow or latent) near2 instruction	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 11:07
S6	1	S5 with count	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 11:21
S7	66	S3 and (execut\$3 near2 time near2 (amount or threshold or value or limit))	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/11 15:13
S8	589	712/227.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/11 15:12
S9	202	S8 and instruction near3 count\$3	US-PGPUB; USPAT	OR	ON	2006/01/11 15:13
S10	11	S9 and (execut\$3 near2 time near2 (amount or threshold or value or limit))	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 09:54
S11	11606	instruction near2 (bundle or word)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 09:54
S12	15	S11 with (monitor\$3 near2 data)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 09:56
S15	12190	S11 or vliw	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 09:57
S16	9	S15 with (extra or spare) near2 bit near2 field	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 09:59

			1		Τ	1 222 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
S17	221	S15 with "bit field"	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:03
S18	20	S17 and (packet or bundle or word).ti.	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:26
S19	18901	(packet or bundle or word or group or vliw) near2 instruction	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:27
S20	1992	S19 with (time or temporal or threshold)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:28
S21	1964	S19 with (time or temporal)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:28
S22	42567	(time or temporal) near2 field	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:28
S23	19	S19 with S22	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:31
S24	9221	(packet or bundle or group) near2 instruction	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:31
S25	80806	S24 with time or temporal	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:31
S26	879	S24 with (time or temporal)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:32
S27	18	S24 with ((time or temporal) near2 (value or threshold))	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:33
S28	38	S20 and 712/227.ccls.	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:39
S29	590	712/227.ccls.	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:39
S30	4	S29 and ((packet or bundle or word or vliw) near2 instruction with (spare or extra) near2 field)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:41

S31	4	S29 and ((packet or bundle or word or vliw) with (spare or extra) near2 field)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:41
S32	11	S29 and ((packet or bundle or word or vliw) with "bit field")	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:44
S33	234684	(temporal or time) near2 (limit or threshold or value)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:45
S34	114018	(temporal or time) near (limit or threshold or value)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:45
S35	249	S34 near2 instruction	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:45
S36	51	S35 with (encod\$3 or includ\$3 or embed\$4 or stor\$3)	US-PGPUB; USPAT; DERWENT ; IBM_TDB	OR	ON	2006/01/12 10:46